

# Safety Data Sheet



Issue Date 18-Jan-2008

Revision Date: 26-Aug-2013

Version 1

## 1. IDENTIFICATION

### Product Identifier

**Product Name** FLEET WASH II

### Other means of identification

**SDS #** KI-046

### Recommended use of the chemical and restrictions on use

**Recommended Use** Liquid Detergent.

### Details of the supplier of the safety data sheet

#### **Supplier Address**

Kemper Industries, Inc.  
P.O. Box 1172  
2197 Stanton Rd.  
Daphne, AL 36526

### Emergency Telephone Number

**Company Phone Number** Handling 251-626-3083  
Technical 866-536-4225  
**Emergency Telephone (24 hr)** INFOTRAC 1-352-323-3500 (International)  
1-800-535-5053 (North America)

## 2. HAZARDS IDENTIFICATION

### Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2

### Signal Word

**Warning**

**Hazard Statements**

Causes skin irritation  
Causes serious eye irritation

**Appearance** Aqua clear liquid**Physical State** Liquid**Odor** Mild detergent**Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling  
Wear protective gloves/protective clothing/eye protection/face protection

**Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
If eye irritation persists: Get medical advice/attention  
IF ON SKIN: Wash with plenty of soap and water  
Take off contaminated clothing and wash it before reuse  
If skin irritation persists: Get medical advice/attention

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Proprietary blend of cationic surfactants.

Chemical Name	CAS No	Weight-%
2-Butoxyethanol	111-76-2	Proprietary
Sodium metasilicate	6834-92-0	Proprietary

### 4. FIRST-AID MEASURES

**First Aid Measures**

<b>General Advice</b>	Provide this SDS to medical personnel for treatment.
<b>Eye Contact</b>	Immediately flush eyes with water for at least 15 minutes while holding eyelids open. If irritation persists get medical attention.
<b>Skin Contact</b>	For skin contact flush with large amounts of water. If irritation persists, get medical attention.
<b>Inhalation</b>	If symptoms are experienced, remove source of contamination or move victim to fresh air. If symptoms persist, get medical attention. If the affected person is not breathing, apply artificial respiration. If breathing is difficult, give oxygen. Seek medical attention.
<b>Ingestion</b>	If ingestion of a large amount does occur, seek medical attention. Do not induce vomiting. Rinse mouth.

**Most important symptoms and effects**

<b>Symptoms</b>	Direct contact with eyes may cause temporary irritation. Prolonged skin contact may cause irritation and redness. May cause discomfort if swallowed.
-----------------	--

**Indication of any immediate medical attention and special treatment needed**

<b>Notes to Physician</b>	Treat symptomatically.
---------------------------	------------------------

<b>5. FIRE-FIGHTING MEASURES</b>
----------------------------------

**Suitable Extinguishing Media**CO<sub>2</sub>, dry chemical, foam, water fog.

**Unsuitable Extinguishing Media** Not determined.

**Specific Hazards Arising from the Chemical**

Product is not flammable or combustible.

**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

<b>6. ACCIDENTAL RELEASE MEASURES</b>
---------------------------------------

**Personal precautions, protective equipment and emergency procedures**

<b>Personal Precautions</b>	Eliminate all ignition sources (flares, flames, including pilot lights, electrical sparks). Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed. Stop spill at source, dyke area of spill to prevent spreading.
-----------------------------	--

<b>Environmental Precautions</b>	See Section 12 for additional Ecological Information.
----------------------------------	---

**Methods and material for containment and cleaning up**

<b>Methods for Containment</b>	Prevent further leakage or spillage if safe to do so.
--------------------------------	---

<b>Methods for Clean-Up</b>	Small Spill: Absorb liquid on paper, vermiculite, floor absorbent or other absorbent material.  Large Spill: Pump liquid to salvage tank. Remaining liquid may be taken up on sand, clay, earth, floor absorbent or other absorbent material and shoveled into containers. Dispose in accordance with local, provincial/state and federal regulations.
-----------------------------	--

<b>7. HANDLING AND STORAGE</b>
--------------------------------

**Precautions for safe handling**

<b>Advice on Safe Handling</b>	Handle in accordance with good industrial hygiene and safety practice. Do not take internally. Prevent eating, drinking, tobacco use and cosmetic application in areas where there is a potential for exposure to the material. Avoid contact with eyes, skin and clothing. Avoid inhalation of dusts or vapors. Wear appropriate chemical protective clothing and equipment. Always wash thoroughly after handling.
--------------------------------	--

**Conditions for safe storage, including any incompatibilities**

<b>Storage Conditions</b>	Keep from freezing. Keep container closed when not in use.
---------------------------	--

**Incompatible Materials** Strong oxidizing agents.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Exposure Guidelines** The following information is given as general guidance

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-Butoxyethanol 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m <sup>3</sup> (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m <sup>3</sup> (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m <sup>3</sup>
Sodium metasilicate 6834-92-0	2 mg/m <sup>3</sup>	2 mg/m <sup>3</sup>	-

**Appropriate engineering controls**

**Engineering Controls** Local exhaust ventilation recommended. Eye bath and safety shower should be available.

**Individual protection measures, such as personal protective equipment**

**Eye/Face Protection** Splash proof goggles where possible eye contamination exists.

**Skin and Body Protection** Wear rubber gloves that are chemically resistant to this product.  
Clothing or Equipment: Wear boots, gloves, apron, etc. sufficient to prevent bodily contact.

**Respiratory Protection** Where excess concentration of product is expected, a NIOSH approved air supplied respirator is advised in absence of proper environmental control.

**General Hygiene Considerations** Avoid contact with eyes, skin and clothing. Avoid inhalation of contaminant. Wash thoroughly after handling. Do not eat, drink, use tobacco products, chew gum or apply cosmetics in area where there is potential for exposure to this material. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**Information on basic physical and chemical properties**

<b>Physical State</b>	Liquid	<b>Odor</b>	Mild detergent
<b>Appearance</b>	Aqua clear liquid	<b>Odor Threshold</b>	Not determined
<b>Color</b>	Aqua clear		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	12.5-13.5	
Melting Point/Freezing Point	0 °C / 32 °F	
Boiling Point/Boiling Range	100 °C / 212 °F	
Flash Point	Not applicable	
Evaporation Rate	Not determined	
Flammability (Solid, Gas)	Not determined	
Upper Flammability Limits	Not applicable	
Lower Flammability Limit	Not applicable	
Vapor Pressure	Not determined	
Vapor Density	Not determined	
Specific Gravity	1.02	
Water Solubility	Completely soluble	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Autoignition Temperature	Not determined	

<b>Decomposition Temperature</b>	Not determined
<b>Kinematic Viscosity</b>	Not determined
<b>Dynamic Viscosity</b>	Not determined
<b>Explosive Properties</b>	Not determined
<b>Oxidizing Properties</b>	Not determined

## 10. STABILITY AND REACTIVITY

### Reactivity

Not reactive under normal conditions.

### Chemical Stability

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

**Hazardous Polymerization** Hazardous polymerization does not occur.

### Conditions to Avoid

Keep out of reach of children.

### Incompatible Materials

Strong oxidizing agents.

### Hazardous Decomposition Products

Thermal decomposition may yield oxides of carbon.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

<b>Product Information</b>	No product animal LD50 or LC50 information is available
<b>Eye Contact</b>	Causes serious eye irritation.
<b>Skin Contact</b>	Causes skin irritation; Prolonged contact may cause irritation and redness.
<b>Inhalation</b>	Inhalation of mists may be irritating to the respiratory system.
<b>Ingestion</b>	Ingestion of large amounts may produce gastrointestinal disturbances.

### Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
2-Butoxyethanol 111-76-2	= 470 mg/kg ( Rat )	= 2270 mg/kg ( Rat ) = 220 mg/kg ( Rabbit )	= 2.21 mg/L ( Rat ) 4 h = 450 ppm ( Rat ) 4 h
Sodium metasilicate 6834-92-0	= 600 mg/kg ( Rat )	-	-

### Information on physical, chemical and toxicological effects

**Symptoms** Please see section 4 of this SDS for symptoms.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen. However, the product as a whole has not been tested.

Chemical Name	ACGIH	IARC	NTP	OSHA
2-Butoxyethanol 111-76-2	A3	Group 3		

**ACGIH (American Conference of Governmental Industrial Hygienists)**

A3 - Animal Carcinogen

**IARC (International Agency for Research on Cancer)**

Group 3 IARC components are "not classifiable as human carcinogens"

### Numerical measures of toxicity

Not determined

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

No data is available on finished product.

### Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
2-Butoxyethanol 111-76-2		1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50		1698 - 1940: 24 h Daphnia magna mg/L EC50 1000: 48 h Daphnia magna mg/L EC50
Sodium metasilicate 6834-92-0		210: 96 h Brachydanio rerio mg/L LC50 semi-static 210: 96 h Brachydanio rerio mg/L LC50		216: 96 h Daphnia magna mg/L EC50

### Persistence/Degradability

This product class is readily biodegradable

### Bioaccumulation

Not determined

### Mobility

Not determined

Chemical Name	Partition Coefficient
2-Butoxyethanol 111-76-2	0.81

### Other Adverse Effects

Not determined

## 13. DISPOSAL CONSIDERATIONS

### Waste Treatment Methods

#### **Disposal of Wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

#### **Contaminated Packaging**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

## 14. TRANSPORT INFORMATION

<b>Note</b>	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.
<b>DOT</b>	Not regulated
<b>IATA</b>	Not regulated
<b>IMDG</b>	Not regulated

## 15. REGULATORY INFORMATION

### International Inventories

**TSCA** Listed

#### **Legend:**

*TSCA - United States Toxic Substances Control Act Section 8(b) Inventory*

*DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List*

*EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances*

*ENCS - Japan Existing and New Chemical Substances IECSC*

*- China Inventory of Existing Chemical Substances KECL -*

*Korean Existing and Evaluated Chemical Substances*

*PICCS - Philippines Inventory of Chemicals and Chemical Substances*

### US Federal Regulations

#### SARA 313

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
2-Butoxyethanol - 111-76-2	111-76-2	Proprietary	1.0

### US State Regulations

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
2-Butoxyethanol 111-76-2	X	X	X

**16. OTHER INFORMATION**

<b><u>NFPA</u></b>	<b>Health Hazards</b> Not determined	<b>Flammability</b> Not determined	<b>Instability</b> Not determined	<b>Special Hazards</b> Not determined
<b><u>HMIS</u></b>	<b>Health Hazards</b> 1	<b>Flammability</b> 0	<b>Physical Hazards</b> 0	<b>Personal Protection</b> Not determined

<b>Issue Date</b>	18-Jan-2008
<b>Revision Date:</b>	26-Aug-2013
<b>Revision Note</b>	New format

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**